

# BSP THREADED FITTINGS



## FEATURES:

- Meets the requirements for potable water quality AS/ NZS 4020.
- Suitable for use above or below ground.
- UV stabilised, will not break down in sunlight.
- BSP and BSPT threads.
- Tough threads that won't distort.
- Robust, strong and long lasting.
- Suitable for use with water.
- No corrosion risk.
- Superior joint sealing.

## INSTALLATION:

- First apply an adequate cover of thread tape to the length of the thread.
- Insert the thread covered with tape into a corresponding thread (i.e. male inserts into female thread or vice versa).
- Tighten until secure.

*RXP recommends the use of thread tape or sealant on all threaded connections.*

BSP THREADED FITTINGS

## WORKING PRESSURE:

### MAXIMUM WORKING PRESSURE AT 20°C

- **Tefen Brand**  
6mm-10mm ( $\frac{1}{8}$ "- $\frac{3}{8}$ "  
1400kPa ( 200 psi, 14 Bar)
- **RXP Brand**  
15mm-50mm ( $\frac{1}{2}$ "-2")  
1600kPa (235 psi, 16 Bar)  
65mm-100mm (2 $\frac{1}{2}$ "-4")  
1000kPa (145 psi, 10 Bar)
- **Philmac Brand**  
15mm-50mm ( $\frac{1}{2}$ "-2")  
1600kPa (235 psi, 16 Bar)  
65mm (2 $\frac{1}{2}$ "  
1200kPa (174 psi, 12 Bar)  
80mm-100mm (3"-4")  
1000kPa (145 psi, 10 Bar)



# BSP THREADED FITTINGS

RXP Code	Description	Philmac Code	Pack Quantity
<b>Hex Nipple</b>			
RXHN06	6mm Hex Nipple ( $\frac{1}{8}$ "		10
RXHN08	8mm Hex Nipple ( $\frac{1}{4}$ "		10
RXHN10	10mm Hex Nipple ( $\frac{3}{8}$ "		10
RXHN15	15mm Hex Nipple ( $\frac{1}{2}$ "	90421100	10
RXHN20	20mm Hex Nipple ( $\frac{3}{4}$ "	90422200	10
RXHN25	25mm Hex Nipple (1")	90423300	10
RXHN32	32mm Hex Nipple (1 $\frac{1}{4}$ "	90424400	10
RXHN40	40mm Hex Nipple (1 $\frac{1}{2}$ "	90425500	10
RXHN50	50mm Hex Nipple (2")	90426600	10
RXHN65	65mm Hex Nipple (2 $\frac{1}{2}$ "	90427700	1
RXHN80	80mm Hex Nipple (3")	90428800	1
RXHN100	100mm Hex Nipple (4")	90420000	1



<b>Reducing Hex Nipple</b>			
RXRHN0806	8 x 6mm Reducing Hex Nipple ( $\frac{1}{4}$ " x $\frac{1}{8}$ "		10
RXRHN1006	10 x 6mm Reducing Hex Nipple ( $\frac{3}{8}$ " x $\frac{1}{8}$ "		10
RXRHN1008	10 x 8mm Reducing Hex Nipple ( $\frac{3}{8}$ " x $\frac{1}{4}$ "		10
RXRHN1508	15 x 8mm Reducing Hex Nipple ( $\frac{1}{2}$ " x $\frac{1}{4}$ "		10
RXRHN1510	15 x 10mm Reducing Hex Nipple ( $\frac{1}{2}$ " x $\frac{3}{8}$ "		10
RXRHN2015	20 x 15mm Reducing Hex Nipple ( $\frac{3}{4}$ " x $\frac{1}{2}$ "	90422100	10
RXRHN2515	25 x 15mm Reducing Hex Nipple (1" x $\frac{1}{2}$ "	90423100	10
RXRHN2520	25 x 20mm Reducing Hex Nipple (1" x $\frac{3}{4}$ "	90423200	10
RXRHN3220	32 x 20mm Reducing Hex Nipple (1 $\frac{1}{4}$ " x $\frac{3}{4}$ "	90424200	10
RXRHN3225	32 x 25mm Reducing Hex Nipple (1 $\frac{1}{4}$ " x 1")	90424300	10
RXRHN4020	40 x 20mm Reducing Hex Nipple (1 $\frac{1}{2}$ " x $\frac{3}{4}$ "	90425200	10
RXRHN4025	40 x 25mm Reducing Hex Nipple (1 $\frac{1}{2}$ " x 1")	90425300	10
RXRHN4032	40 x 32mm Reducing Hex Nipple (1 $\frac{1}{2}$ " x 1 $\frac{1}{4}$ "	90425400	10
RXRHN5020	50 x 20mm Reducing Hex Nipple (2" x $\frac{3}{4}$ "	90426200	10
RXRHN5025	50 x 25mm Reducing Hex Nipple (2" x 1")	90426300	10
RXRHN5032	50 x 32mm Reducing Hex Nipple (2" x 1 $\frac{1}{4}$ "	90426400	10
RXRHN5040	50 x 40mm Reducing Hex Nipple (2" x 1 $\frac{1}{2}$ "	90426500	10
RXRHN6532	65 x 32mm Reducing Hex Nipple (2 $\frac{1}{2}$ " x 1 $\frac{1}{4}$ "	90427400	1
RXRHN6540	65 x 40mm Reducing Hex Nipple (2 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ "	90427500	1
RXRHN6550	65 x 50mm Reducing Hex Nipple (2 $\frac{1}{2}$ " x 2")	90427600	1
RXRHN8040	80 x 40mm Reducing Hex Nipple (3" x 1 $\frac{1}{2}$ "	90428500	1
RXRHN8050	80 x 50mm Reducing Hex Nipple (3" x 2")	90428600	10
RXRHN10050	100 x 50mm Reducing Hex Nipple (4" x 2")	90420600	10
RXRHN10065	100 x 65mm Reducing Hex Nipple (4" x 2 $\frac{1}{2}$ "	90420700	10
RXRHN10080	100 x 80mm Reducing Hex Nipple (4" x 3")	90420800	10



BSP THREADED FITTINGS

# BSP THREADED FITTINGS

RXP Code	Description	Philmac Code	Pack Quantity
<b>Hex Socket</b>			
RXHS06	6mm Hex Socket ( $\frac{1}{8}$ "		10
RXHS08	8mm Hex Socket ( $\frac{1}{4}$ "		10
RXHS10	10mm Hex Socket ( $\frac{3}{8}$ "		10
RXHS15	15mm Hex Socket ( $\frac{1}{2}$ "	90431100	10
RXHS20	20mm Hex Socket ( $\frac{3}{4}$ "	90432200	10
RXHS25	25mm Hex Socket (1"	90433300	10
RXHS32	32mm Hex Socket (1 $\frac{1}{4}$ "	90434400	10
RXHS40	40mm Hex Socket (1 $\frac{1}{2}$ "	90435500	10
RXHS50	50mm Hex Socket (2"	90436600	10
RXHS65	65mm Hex Socket (2 $\frac{1}{2}$ "	90437700	1
RXHS80	80mm Hex Socket (3"	90438800	1
RXHS100	100mm Hex Socket (4"	90430000	1
<b>Reducing Hex Socket</b>			
RXRHS0806	8 x 6mm Reducing Hex Socket ( $\frac{1}{4}$ " x $\frac{1}{8}$ "		10
RXRHS1006	10 x 6mm Reducing Hex Socket ( $\frac{3}{8}$ " x $\frac{1}{8}$ "		10
RXRHS1008	10 x 8mm Reducing Hex Socket ( $\frac{3}{8}$ " x $\frac{1}{4}$ "		10
RXRHS1508	15 x 8mm Reducing Hex Socket ( $\frac{1}{2}$ " x $\frac{1}{4}$ "		10
RXRHS1510	15 x 10mm Reducing Hex Socket ( $\frac{1}{2}$ " x $\frac{3}{8}$ "		10
RXRHS2008	20 x 8mm Reducing Hex Socket ( $\frac{3}{4}$ " x $\frac{1}{4}$ "		10
RXRHS2015	20 x 15mm Reducing Hex Socket ( $\frac{3}{4}$ " x $\frac{1}{2}$ "	90432100	10
RXRHS2515	25 x 15mm Reducing Hex Socket (1" x $\frac{1}{2}$ "	90433100	10
RXRHS2520	25 x 20mm Reducing Hex Socket (1" x $\frac{3}{4}$ "	90433200	10
RXRHS3220	32 x 20mm Reducing Hex Socket (1 $\frac{1}{4}$ " x $\frac{3}{4}$ "	90434200	10
RXRHS3225	32 x 25 mm Reducing Hex Socket (1 $\frac{1}{4}$ " x 1"	90434300	10
RXRHS4020	40 x 20mm Reducing Hex Socket (1 $\frac{1}{2}$ " x $\frac{3}{4}$ "	90435200	10
RXRHS4025	40 x 25mm Reducing Hex Socket (1 $\frac{1}{2}$ " x 1"	90435300	10
RXRHS4032	40 x 32mm Reducing Hex Socket (1 $\frac{1}{2}$ " x 1 $\frac{1}{4}$ "	90435400	10
RXRHS5020	50 x 20mm Reducing Hex Socket (2" x $\frac{3}{4}$ "	90436200	10
RXRHS5025	50 x 25mm Reducing Hex Socket (2" x 1"	90436300	10
RXRHS5032	50 x 32mm Reducing Hex Socket (2" x 1 $\frac{1}{4}$ "	90436400	10
RXRHS5040	50 x 40mm Reducing Hex Socket (2" x 1 $\frac{1}{2}$ "	90436500	10
RXRHS6540	65 x 40mm Reducing Hex Socket (2 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ "	90437500	
RXRHS6550	65 x 50mm Reducing Hex Socket (2 $\frac{1}{2}$ " x 2"	90437600	
RXRHS8050	80 x 50mm Reducing Hex Socket (3" x 2"	90438600	
RXRHS8065	80 x 65mm Reducing Hex Socket (3" x 2 $\frac{1}{2}$ "	90438700	
RXRHS10065	100 x 65mm Reducing Hex Socket (4" x 2 $\frac{1}{2}$ "	90430700	
RXRHS10080	100 x 80mm Reducing Hex Socket (4" x 3"	90430800	



BSP THREADED FITTINGS

# BSP THREADED FITTINGS

RXP Code	Description	Philmac Code	Pack Quantity
<b>Reducing Bush</b>			
RXRB0806	8 x 6mm Reducing Bush (1/4" x 1/8")		10
RXRB1006	10 x 6mm Reducing Bush (3/8" x 1/8")		10
RXRB1008	10 x 8mm Reducing Bush (3/8" x 1/4")		10
RXRB1506	15 x 6mm Reducing Bush (1/2" x 1/8")		10
RXRB1508	15 x 8mm Reducing Bush (1/2" x 1/4")		10
RXRB1510	15 x 10mm Reducing Bush (1/2" x 3/8")		10
RXRB2008	20 x 8mm Reducing Bush (3/4" x 1/4")		10
RXRB2010	20 x 10mm Reducing Bush (3/4" x 3/8")		10
RXRB2015	20 x 15mm Reducing Bush (3/4" x 1/2")	90412100	10
RXRB2515	25 x 15mm Reducing Bush (1" x 1/2")	90413100	10
RXRB2520	25 x 20mm Reducing Bush (1" x 3/4")	90413200	10
RXRB3220	32 x 20mm Reducing Bush (1 1/4" x 3/4")	90414200	10
RXRB3225	32 x 25mm Reducing Bush (1 1/4" x 1")	90414300	10
RXRB4020	40 x 20mm Reducing Bush (1 1/2" x 3/4")	90415200	10
RXRB4025	40 x 25mm Reducing Bush (1 1/2" x 1")	90415300	10
RXRB4032	40 x 32mm Reducing Bush (1 1/2" x 1 1/4")	90415400	10
RXRB5020	50 x 20mm Reducing Bush (2" x 3/4")	90416200	10
RXRB5025	50 x 25mm Reducing Bush (2" x 1")	90416300	10
RXRB5032	50 x 32mm Reducing Bush (2" x 1 1/4")	90416400	10
RXRB5040	50 x 40mm Reducing Bush (2" x 1 1/2")	90416500	10
RXRB6532	65 x 32mm Reducing Bush (2 1/2" x 1 1/4")	90417400	
RXRB6540	65 x 40mm Reducing Bush (2 1/2" x 1 1/2")	90417500	
RXRB6550	65 x 50mm Reducing Bush (2 1/2" x 2")	90417600	
RXRB8040	80 x 40mm Reducing Bush (3" x 1 1/2")	90418500	
RXRB8050	80 x 50mm Reducing Bush (3" x 2")	90418600	10
RXRB8065	80 x 65mm Reducing Bush (3" x 2 1/2")	90418700	10
RXRB10050	100 x 50mm Reducing Bush (4" x 2")	90410600	10
RXRB10065	100 x 65mm Reducing Bush (4" x 2 1/2")	90410700	
RXRB10080	100 x 80mm Reducing Bush (4" x 3")	90410800	10
<b>Threaded Female Tee</b>			
RXTFT15	15mm Threaded Female Tee (1/2")	90451100	10
RXTFT20	20mm Threaded Female Tee (3/4")	90452200	10
RXTFT25	25mm Threaded Female Tee (1")	90453300	10
RXTFT32	32mm Threaded Female Tee (1 1/4")	90454400	5
RXTFT40	40mm Threaded Female Tee (1 1/2")	90455500	5
RXTFT50	50mm Threaded Female Tee (2")	90456600	2
RXTFT65	65mm Threaded Female Tee (2 1/2")	90457700	1
RXTFT80	80mm Threaded Female Tee (3")	90458800	1
RXTFT100	100mm Threaded Female Tee (4")	90450000	1



BSP THREADED FITTINGS

# BSP THREADED FITTINGS

RXP Code	Description	Philmac Code	Pack Quantity
<b>Threaded 90° Female Elbow</b>			
RXTFE15	15mm Threaded 90° Female Elbow (½")	90461100	10
RXTFE20	20mm Threaded 90° Female Elbow (¾")	90462200	10
RXTFE25	25mm Threaded 90° Female Elbow (1")	90463300	10
RXTFE32	32mm Threaded 90° Female Elbow (1¼")	90464400	10
RXTFE40	40mm Threaded 90° Female Elbow (1½")	90465500	5
RXTFE50	50mm Threaded 90° Female Elbow (2")	90466600	2
RXTFE65	65mm Threaded 90° Female Elbow (2½")	90467700	1
RXTFE80	80mm Threaded 90° Female Elbow (3")	90468800	1
RXTFE100	100mm Threaded 90° Female Elbow (4")	90460000	1
<b>Threaded 90° Male Elbow</b>			
RXTME06	6mm Threaded 90° Male Elbow (⅛")		10
RXTME08	8mm Threaded 90° Male Elbow (¼")		10
RXTME10	10mm Threaded 90° Male Elbow (⅜")		10
<b>Threaded 90° Male/Female Elbow</b>			
RXTMFE15	15mm Threaded 90° Male/Female Elbow (½")	90469100	10
RXTMFE20	20mm Threaded 90° Male/Female Elbow (¾")	90469200	10
RXTMFE25	25mm Threaded 90° Male/Female Elbow (1")	90469300	10
RXTMFE32	32mm Threaded 90° Male/Female Elbow (1¼")	90469400	10
RXTMFE40	40mm Threaded 90° Male/Female Elbow (1½")	90469500	5
RXTMFE50	50mm Threaded 90° Male/Female Elbow (2")	90469600	2
<b>Cap and Washer</b>			
RXC/W15	15mm Cap and Washer (½")		10
RXC/W20	20mm Cap and Washer (¾")		10
RXC/W25	25mm Cap and Washer (1")		10
RXC/W32	32mm Cap and Washer (1¼")		10
RXC/W40	40mm Cap and Washer (1½")		10
RXC/W50	50mm Cap and Washer (2")		10
<b>Cap - No Washer</b>			
RXCP06	6mm Cap (⅛") - No Washer		10
RXCP08	8mm Cap (¼") - No Washer		10
RXCP10	10mm Cap (⅜") - No Washer		10



BSP THREADED FITTINGS



# BSP THREADED FITTINGS

RXP Code	Description	Philmac Code	Pack Quantity
<b>Cap -No Washer</b>			
RXCP15	15mm Cap (½") - No Washer	90490100	10
RXCP20	20mm Cap (¾") -No Washer	90490200	10
RXCP25	25mm Cap (1") - No Washer	90490300	10
RXCP32	32mm Cap (1 ¼") - No Washer	90490400	10
RXCP40	40mm Cap (1 ½") -No Washer	90490500	10
RXCP50	50mm Cap (2") -No Washer	90490600	10
RXCP65	65mm Cap (2½")	90490700	1
RXCP80	80mm Cap (3")	90490800	1
RXCP100	100mm Cap (4")	90490000	1



<b>Tank Fitting and Back Nut</b>			
RXTF15	15mm Tank Fitting and Back Nut (½")		10
RXTF20	20mm Tank Fitting and Back Nut (¾")		10
RXTF25	25mm Tank Fitting and Back Nut (1")		10
RXTF32	32mm Tank Fitting and Back Nut (1 ¼")		10
RXTF40	40mm Tank Fitting and Back Nut (1 ½")		10
RXTF50	50mm Tank Fitting and Back Nut (2")		5



<b>Male Threaded Tank Inlet</b>			
RXTTI15	15mm Male Threaded Tank Inlet (½")		5
RXTTI20	20mm Male Threaded Tank Inlet (¾")		5
RXTTI25	25mm Male Threaded Tank Inlet (1")		5
RXTTI32	32mm Male Threaded Tank Inlet (1 ¼")		5
RXTTI40	40mm Male Threaded Tank Inlet (1 ½")		5
RXTTI50	50mm Male Threaded Tank Inlet (2")		5



<b>RXTTI Back Nut</b>			
RXTTIBN15	15mm RXTTI Back Nut (½")		1
RXTTIBN20	20mm RXTTI Back Nut (¾")		1
RXTTIBN25	25mm RXTTI Back Nut (1")		1
RXTTIBN32	32mm RXTTI Back Nut (1 ¼")		1
RXTTIBN40	40mm RXTTI Back Nut (1 ½")		1
RXTTIBN50	50mm RXTTI Back Nut (2")		1



<b>RXTTI Washer</b>			
RXTTIW15	15mm RXTTI Washer (½")		1
RXTTIW20	20mm RXTTI Washer (¾")		1
RXTTIW25	25mm RXTTI Washer (1")		1
RXTTIW32	32mm RXTTI Washer (1 ¼")		1
RXTTIW40	40mm RXTTI Washer (1 ½")		1
RXTTIW50	50mm RXTTI Washer (2")		1



BSP THREADED FITTINGS

# BSP THREADED FITTINGS

RXP Code	Description	Philmac Code	Pack Quantity
<b>Hex Plug</b>			
RXHP06	6mm Hex Plug (1/8")		10
RXHP08	8mm Hex Plug (1/4")		10
RXHP10	10mm Hex Plug (3/8")		10
RXHP15	15mm Hex Plug (1/2")	90401100	10
RXHP20	20mm Hex Plug (3/4")	90402200	10
RXHP25	25mm Hex Plug (1")	90403300	10
RXHP32	32mm Hex Plug (1 1/4")	90404400	10
RXHP40	40mm Hex Plug (1 1/2")	90405500	10
RXHP50	50mm Hex Plug (2")	90406600	10
RXHP65	65mm Hex Plug (2 1/2")	90407700	10
RXHP80	80mm Hex Plug (3")	90408800	10
RXHP100	100mm Hex Plug (4")	90400000	10
<b>RXTF Back Nut</b>			
RXBN15	15mm RXTF Back Nut (1/2")		10
RXBN20	20mm RXTF Back Nut (3/4")		10
RXBN25	25mm RXTF Back Nut (1")		10
RXBN32	32mm RXTF Back Nut (1 1/4")		10
RXBN40	40mm RXTF Back Nut (1 1/2")		10
RXBN50	50mm RXTF Back Nut (2")		10
<b>Hose Tail Elbow</b>			
RXHTE06.4MM	6 x 4mm Hose Tail Elbow (1/8" x 4mm)		10
RXHTE08.6MM	8 x 6mm Hose Tail Elbow (1/4" x 6mm)		10
RXHTE10.8MM	10 x 8mm Hose Tail Elbow (3/8" x 8mm)		10
RXHTE10.10MM	10 x 10mm Hose Tail Elbow (3/8" x 10mm)		10
<b>Hose Tail</b>			
RXHT06.4MM	6 x 4mm Hose Tail (1/8" x 4mm)		10
RXHT06.6MM	6 x 6mm Hose Tail (1/8" x 6mm)		10
RXHT08.6MM	8 x 6mm Hose Tail (1/4" x 6mm)		10
RXHT08.8MM	8 x 8mm Hose Tail (1/4" x 8mm)		10
RXHT08.10MM	8 x 10mm Hose Tail (1/4" x 10mm)		10
RXHT10.10MM	10 x 10mm Hose Tail (3/8" x 10mm)		5
RXHT15	15mm Hose Tail (1/2")		10
RXHT20	20mm Hose Tail (3/4")		10
RXHT25	25mm Hose Tail (1")		10
RXHT32	32mm Hose Tail (1 1/4")		10
RXHT40	40mm Hose Tail (1 1/2")		10
RXHT50	50mm Hose Tail (2")		5



BSP THREADED FITTINGS

# BSP THREADED FITTINGS

RXP Code	Description	Pack Quantity
<b>Hose Tail Long</b>		
RXHT32.32MM.LONG	32 x 32mm Hose Tail Long (1¼" x 32mm)	10
RXHT40.32MM.LONG	40 x 32mm Hose Tail Long (1½" x 32mm)	10
RXHT40.40MM.LONG	40 x 40mm Hose Tail Long (1½" x 40mm)	10
<b>Female Nut &amp; Tail</b>		
RXTFNT20.6MM	20 x 6mm Female Nut & Tail (¾" x 6mm)	10
RXTFNT20.8MM	20 x 8mm Female Nut & Tail (¾" x 8mm)	10
RXTFNT20.10MM	20 x 10mm Female Nut & Tail (¾" x 10mm)	10
<b>Female Quick-Lock Coupling</b>		
AQLCF20	20mm Female Quick-Lock Coupling (¾")	10
AQLCF25	25mm Female Quick-Lock Coupling (1")	10
AQLCF32	32mm Female Quick-Lock Coupling (1¼")	10
AQLCF40	40mm Female Quick-Lock Coupling (1½")	10
<b>Male Quick-Lock Coupling</b>		
AQLCM20	20mm Male Quick-Lock Coupling (¾")	10
AQLCM25	25mm Male Quick-Lock Coupling (1")	10
AQLCM32	32mm Male Quick-Lock Coupling (1¼")	10
AQLCM40	40mm Male Quick-Lock Coupling (1½")	10
AQLCR	Spare Seal Ring	1
<b>Swivel</b>		
ASW20	20mm Swivel (¾")	10
ASW25	25mm Swivel (1")	10
ASW32	32mm Swivel (1¼")	5
ASW40	40mm Swivel (1½")	5
ASW50	50mm Swivel (2")	5
<b>Pipe Union</b>		
APU20	20mm Pipe Union (¾")	10
APU25	25mm Pipe Union (1")	10
APU32	32mm Pipe Union (1¼")	5
APU40	40mm Pipe Union (1½")	5
APU50	50mm Pipe Union (2")	5



\*32mm and 40mm Swivel can be used with hose nozzles or K-Line up to a maximum working pressure of 70 psi.

BSP THREADED FITTINGS



# BSP THREADED FITTINGS

## Polyprop Risers

RXP Code                      Description                      Pressure Rating @20°C

Polyprop Riser Lengths - No Threads		
RXPPL15.05	15mm Polyprop Riser Length x 5Mts	
RXPPL20.05	20mm Polyprop Riser Length x 5Mts	
RXPPL25.05	25mm Polyprop Riser Length x 5Mts	
RXPPL32.05	32mm Polyprop Riser Length x 5Mts	
RXPPL40.05	40mm Polyprop Riser Length x 5Mts	
RXPPL50.05	50mm Polyprop Riser Length x 5Mts	

Other lengths are available on request however a minimum order of 20 lengths would be required to run these non-stock items.

Polyprop Risers - Threaded Lengths		
RXPPR15.150	15mm Polyriser x 150mm (6")	1500 kPa
RXPPR15.200	15mm Polyriser x 200mm (8")	1500 kPa
RXPPR15.300	15mm Polyriser x 300mm (12")	1500 kPa
RXPPR15.450	15mm Polyriser x 450mm (18")	1500 kPa
RXPPR15.600	15mm Polyriser x 600mm (24")	1500 kPa
RXPPR15.900	15mm Polyriser x 900mm (36")	1500 kPa
RXPPR15.1200	15mm Polyriser x 1200mm (48")	1500 kPa
RXPPR20.100	20mm Polyriser x 100mm (4")	1500 kPa
RXPPR20.150	20mm Polyriser x 150mm (6")	1500 kPa
RXPPR20.200	20mm Polyriser x 200mm (8")	1500 kPa
RXPPR20.300	20mm Polyriser x 300mm (12")	1500 kPa
RXPPR20.450	20mm Polyriser x 450mm (18")	1500 kPa
RXPPR20.600	20mm Polyriser x 600mm (24")	1500 kPa
RXPPR20.900	20mm Polyriser x 900mm (36")	1500 kPa
RXPPR20.1200	20mm Polyriser x 1200mm (48")	1500 kPa
RXPPR25.100	25mm Polyriser x 100mm (4")	1500 kPa
RXPPR25.150	25mm Polyriser x 150mm (6")	1500 kPa
RXPPR25.200	25mm Polyriser x 200mm (8")	1500 kPa
RXPPR25.300	25mm Polyriser x 300mm (12")	1500 kPa
RXPPR25.400	25mm Polyriser x 400mm (15")	1500 kPa
RXPPR25.450	25mm Polyriser x 450mm (18")	1500 kPa
RXPPR25.600	25mm Polyriser x 600mm (24")	1500 kPa
RXPPR25.900	25mm Polyriser x 900mm (36")	1500 kPa
RXPPR25.1200	25mm Polyriser x 1200mm (48")	1500 kPa



BSP THREADED FITTINGS

# BSP THREADED FITTINGS

RXP Code	Description	Pressure Rating @20°C
<b>Polyprop Risers - Threaded Lengths</b>		
RXPPR32.150	32mm Polyriser x 150mm (6")	1500 kPa
RXPPR32.200	32mm Polyriser x 200mm (8")	1500 kPa
RXPPR32.300	32mm Polyriser x 300mm (12")	1500 kPa
RXPPR32.450	32mm Polyriser x 450mm (18")	1500 kPa
RXPPR32.600	32mm Poly Riser x 600mm (24")	1500 kPa
<hr/>		
RXPPR40.300	40mm Polyriser x 300mm (12")	1200 kPa
RXPPR40.450	40mm Polyriser x 450mm (18")	1200 kPa
RXPPR40.600	40mm Polyriser x 600mm (24")	1200 kPa
<hr/>		
RXPPR50.150	50mm Polyriser x 150mm (6")	1000 kPa
RXPPR50.300	50mm Polyriser x 300mm (12")	1000 kPa
RXPPR50.450	50mm Polyriser x 450mm (18")	1000 kPa
RXPPR50.600	50mm Polyriser x 600mm (24")	1000 kPa



BSP THREADED FITTINGS